

Implant Restoration Impressions Checklist



Soft tissues	Healthy	<input type="checkbox"/>	Adequate oral hygiene
	Prepared	<input type="checkbox"/>	Any modifications have been done and adequate healing time allowed
	Transmucosal healing	<input type="checkbox"/>	Clean transmucosal healing abutment in place
Implant	Integration checked	<input type="checkbox"/>	Appropriate timing, ISQ, radiograph
Surround dentition	No outstanding treatment	<input type="checkbox"/>	No adjacent restorations still required other than those being done alongside the implant restoration
	Patient happy	<input type="checkbox"/>	With the shade and appearance of the rest of their teeth
	Take shade	<input type="checkbox"/>	In natural light if possible and before the patient is covered in impression material
	Take photos	<input type="checkbox"/>	These are essential for communicating with the laboratory for all restorations, close-ups with and without the shade tab and a smile photo if in the aesthetic zone.
Procedure	Remove healing abutment	<input type="checkbox"/>	No inflammation around soft tissues. Mild haemostasis must be controlled before next stage. Moderate to severe haemostasis may require remaking the appointment and appropriate oral hygiene education
	Block out undercuts	<input type="checkbox"/>	Make sure there are no undercuts in the rest of the arch that may inhibit removal of the impression
	Place impression coping or scanbody	<input type="checkbox"/>	Ensure full seating, with a radiograph if necessary
	Place impression accessories	<input type="checkbox"/>	eg. caps on the impression coping. Ensure these are fully and securely positioned
	Cut hole in tray	<input type="checkbox"/>	Only for open tray. Check the positioning of the tray and the hole several times
	Make impression	<input type="checkbox"/>	Use an appropriate impression material or intra-oral scanner. Cover the hole with a finger to feel for the impression coping.
	Replace healing abutment	<input type="checkbox"/>	Ensure clean. Ensure that it comes through sufficiently so a second uncovering is not necessary
	Bite reg, facebow	<input type="checkbox"/>	Always send a squash bite. Bite block needed for free end saddles. Facebow recommended for >3 units.
Additional information	Lab form completed	<input type="checkbox"/>	See lab prescription checklist
	Photographs sent to lab	<input type="checkbox"/>	

